

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## $\begin{bmatrix} 230 \end{bmatrix}$

## Received February 8, 1770.

XXI. Meteorological Observations at Ludgvan in Mount's-Bay, Cornwall, 1769; By William Borlase, D. D. F. R. S. Communicated by Dr. Jeremiah Milles, Dean of Exeter, and F. R. S.

Ombr.	Med. Inches.	4,640	2,240	1,5690
Fahrenheit's Thermom. Ombr.	Higheft 28 $51\frac{1}{2}$ Med. Loweft 21 33 $\frac{1}{3}$ $43\frac{2}{3}$	Higheft 27 57 J 4428	Higheft 19 52 $46^{7}_{37}$ Loweft 31 34 $46^{7}_{37}$	Higheft 29' 66 \ Loweft 1 37 \} 49\frac{3}{57}
State of the Weather and Wind.	Higheft 7 30,12 Calm, cloudy, and showery to the 14th, the rest stormy Med. Lowest 24 29,10 frost on the 31st. Wind from all points nearly equal. Lowest 21 33 \$ 433.7	Higheft 20 30,5 hail again on the 22d and 24th; the reft rainy, windy, Loweft 12 35 \\ 4429.3 flormy; wind 17 days from the North, the reft moffly from toweft 12 35 \\ 44428.	Highest 24 30,40 Showery, not much rain; windy, rather than stormy; Highest 19 52 Lowest 11 28,83 equal.	Higheft 30 30,21 with funthine; none on any other day, nor then, any Higheft 29 66 Loweft 9 28,66 the middle flormy. Wind 17 days North, reft nearly Loweft 1 37 \$\frac{1}{37}\$ \$\frac{1}{
Month. Barometer.	Higheft 7 30,12 Loweft 24 29,10	Higheft 20 30,5 Loweft 4 29,3	Higheft 24 30,40 Loweft 11 28,83	Higheft 30 30,21 Loweft 9 28,66
Montn.	January	February	March	April

[ 231 ]

Month.	Barometer.	State of the Weather and Wind.	Fahrenheit's Thermom. Ombr.	Ombr.
May	Higheft 2 30,36 Loweft 27 29,23	Highest 2 30,36 29, 30; rest windy with rain. Wind 19 days from the Lowest 12 46 333 13 14,610 Lowest 27 29,23 North, 15 from the East, South and West equal.	Highest 4 67 } 53313.	Inches. 4,610
June	Higheft 19 30,10 Loweft 16 29,47	Higheft 19 30,10 with fair, and fundhine. Wind 15 days North, 19 days Loweft 3 49 \$\frac{1}{3} \frac{8}{3} \frac{1}{3} 1	Higheff 35 $64\frac{1}{2}$ $55\frac{8}{3}\frac{1}{6}$ . Loweff 3 49	4,100
July	Higheft 25 30,13 Loweft 16 29,58	Half this month we had calms, partly with fair weather, Higheft 25 30,13 and partly with fogs and mifts, reft variable, without ex-Higheft 5 72 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1,320
August	Higheft 17 30,3 Loweft 30 29,28	Higheft 17 30,3 fome flowery, reft windy, rain and flowers. Wind blew Higheft 3 67 \ So \frac{2}{3} \ So \fr	Higheft $\frac{3}{2}$ $\frac{67}{51}$ $\frac{58\frac{3}{4}}{5}$	3.550
September	Higheft 30 30,22 Loweft 12 29,20	Higheft 30 30,22 26 days from the West; as to the rest, the North pre-Lowest 30 50 350 350 350 350 2 3,700 Lowest 12 29,20 vailing.	Higheft 6 65 $\left.\right\}$ $56\frac{6}{3}$ $\frac{1}{2}$ Loweft 30 50 $\left.\right\}$	3,700
October	Higheft 13 30,20 Loweft 31 29,1	Highest 13 30,20 rains. Wind 26 days from the East, 16 days from the Lowest 6,42 \ 5037. Lowest 31 29,1 North, South and West nearly equal.		2,250
November	Higheft 27 30,40 Loweft 8 29,12	Higheft 27 30,40 morning, the 19th; a florm on the 4th; a violent florm Higheft 3 57 Loweft 8 29,12 P. W. Wind mostly Wetl (viz. 18 out of 30), reft Loweft 19 36		6,350
	-		Ĩ	D'ecember,

5	_
	C
	C
	C

Month.	Month. Barometer.	State of the Weather and Wind.	Fahrenheit's Thermom. Ombr.	mbr.
December	Highest 1 30,36 Lowest 23 28,44	Stormy and rainy for the most part; rest hazy, showery, cloudy with a few calms. A storm the 22d and 23d. N.B.  Highest I 30,36 from the 22d, 9 P. M. to the 23d, 7 A. M. (viz. in ten Highest 10 53 down to 28,44 hours) the Barometer fell 72°; and on the 23d at noon was Lowest 1 38 down to 28,44 i. e. very low for this station. Wind 23 days from the West, rest equal.	Higheff 10 53 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	nches.

Total Rain this Year 1769, 42,7300